


Periimplantitis:


Nuevas perspectivas

Periimplantitis

Inflamación que afecta el tejido blando y el hueso alrededor de los implantes dentales. Puede conducir a la pérdida del implante si no se trata.




Tejido sano




Periimplantitis

Factores contribuyentes




Visión general del estudio¹




Resultado

La probabilidad de ser diagnosticado con periimplantitis³ 9 años después de la terapia de implante fue la más baja con los implantes Straumann TL SLA.



Implantes (≥ 4) usos por especialistas en pacientes sin periodontitis
(adaptación de Derks et al.¹).



Implantes (≥ 4) usos por especialistas en pacientes con periodontitis
(adaptación de Derks et al.¹).

Conclusión

Los hallazgos en este estudio son extremadamente relevantes para dentistas y pacientes que basan su elección del implante en evidencia clínica independiente. Estos resultados añaden peso a los hallazgos reportados anteriormente que muestran altas tasas de éxito con los implantes de Straumann.⁴⁻⁶

¹ Derks J, Schaller D, Håkansson J, Wennström JL, Tomasi C, Berglundh T. Effectiveness of Implant Therapy Analyzed in a Swedish Population: Prevalence of Peri-implantitis. J Dent Res. 2016 Jan; 95(1):43-9. (Doctoral thesis reference: ISBN 978-91-628- 9491-7). ² 98.3% of Nobel Biocare Implants had a TiUnite® surface, 96.6% of Astra Tech implants had a TiOblast® surface, all Straumann TL implants had a SLA® surface. ³ Moderate/Severe peri-implantitis defined as bleeding on probing (BoP)/suppuration (SUP) and bone loss > 2mm. ⁴ Buser D. et al. '10-year Survival and Success Rates of 511 Titanium Implants with a sandblasted and Acid Etched Surface: A Retrospective Study in 303 Partially Edentulous Patients' Clin Implant Dent Relat Res. 2012 Dec;14(6):839-51. ⁵ Fischer K., Stenberg T. 'Prospective 10-year Cohort Study Based on a Randomized Controlled Trial (RCT) on Implant-Supported Full-Arch Maxillary Prostheses. Part 1: Sandblasted and Acid-Etched Implants and Mucosal Tissue.' Clin Implant Dent Relat Research. 2012 Dec;14(6):808-15. ⁶ Rocuzzo M. et al 'Long-term results of a three arms prospective cohort study on implants in periodontally compromised patients: 10-year data around sandblasted and acidetched (SLA) surface.' Clin Oral Implants Res. 2013 Jul 19.